



RH768

Get in control

While the RFID market and variety of RFID solutions keep on rising, Unitech offers you RH768, the best UHF reading/writing device to optimize business processes and increase accuracy in your information flow and operations.

Quality UHF RFID device

The RH768 offers users a high reading performance in terms of accuracy, flexibility and distance. Because barcodes and RFID tags are frequently being used side by side, RH768 features a 1D/2D barcode reader next to a RFID reader for great user flexibility. Same as other unitech devices, RH768 is a rugged mobile computer which supports a 1.2m drop spec and IP54 rating against moisture and dust so to provide the resistance which is needed in various critical environments, such as factories and warehouses.

High easy-handling level

Being a well-balanced RFID reader, RH768 offers highly easy-handling level. The main weight of the device is ergonomically spread over the complete

unit, which makes it far more convenient than other RFID readers. The gun grip of RH768 contains a second battery to secure double operation time up to 12 hours. With RH768, you can scan RFID tags for accurate stock control, asset management or replenishment whole day long which help to increase the satisfaction of your customer as well as the efficiency of your employees.

Features

- Supports multiple location frequency bands (US, EU, JP)
- Contains both UHF RFID reader/writer and 1D/2D barcode scanner
- Equipped with Impinj's Indy® chips R2000 UHF module significantly improves the read accuracy and provides 2 times reading distance more than previous model.
- Well-balanced design for easy handling
- All latest communication technology: BT, Wi-Fi, UMTS, 3.5G
- Tag support: EPCglobal® C1G2 (ISO1800-6C)
1.2m drop spec & IP54 environmental sealing



Indicator

LEDs, Vibrator

Expansion Slot

SD Memory slot support SDHC up to 32GB

Audio

MIC, Speaker, Headset Connector, Receiver

Power Source

Main Battery	7.4V 1950mAh 13.91Wh
Second Battery	(in pistol grip) 7.4V 2000 mAh 14.8Wh
Operation Hours	Up to 12 Hours

Communication

USB	1.1 Host & Client
WLAN	IEEE 802.11b/g, (CCX4 certified)
PAN	Bluetooth 2.1 + EDR
WWAN (Optional)	3.5G Five-bands ,GSM/GPRS 850Mhz , 900Mhz , 1800Mhz and 1900Mhz ,UMTS WCDMA/HSDPA 50Mhz,1900Mhz , 2100Mhz / GPRS Edge
GPS (Optional)	Sirf star III Chipset, Supporting InstantFix™

Enclosure

Weight	870g (without main battery)
Dimension	Approximately 182 X 88 X 169 mm (Antenna length excluded)

Environmental

Operating temperature	14° F to 122° F (-10° C to 50° C)
Storage temperature	-4° F to 140° F (-20° C to 60° C)
Relative Humidity	5% ~ 95% (non-condensing)
Drop Specification	1.2m (4 feet)
Sealing	IP54

Software

Microsoft Mobile 6.5 SDK
Mobile SIP (VOIP)
Auto Installer

Accessories

Desktop USB Cradle
Desktop Ethernet Cradle
USB communication and charging cable
AC adaptor (with regional power cord)
Battery charger
4-slot Multi-Bay Ethernet Cradle

Regulatory Approvals

CE,FCC,NCC,TELEC,CCC, RoHS Compliance

Operation System

CPU	Marvell PXA320 806MHz
Memory	Mobile DDR: 256MB NaND Flash: 512MB
OS	Windows Embedded handheld 6.5 Professional/Classic

Display

480x640 VGA, Color LCD, with Touch Screen & backlight

Keypad

Modularized keypad 22-Key in default package,
43 keys keypad is optional
(Numeric and alpha key)

Image Device

Camera	5.0 Mega Pixels Auto Focus
Flash light	60 Lux (30cm)

Symbolologies

2D Imager

1D codes	Australian post, British post, Canadian post, Codabar, Code 11, Code 128, Code 39, Code 93, EAN 13, EAN 8, IATA 2 of 5, ITF, ISBT, Japanesepost, Kix code (nl), Korean post, Matrix 2 of 5, MSI, Planet code, Postnet, RSS expanded, RSS limited, RSS 14, UPC A, UPC E, UPC E1
2D codes	Aztec, Codablock F, Code 49, Datamatrix, EAN-UCC, composite, Maxicode, Micro PDF417, PDF 417, QR code, Tcif lonked C39

UHF RFID reader

Frequency	
US	902~928MHz
EU	865~868MHz
JP	916.8~923.4MHz
Power Output	1W
Antenna	Patch Antenna
Reading Distance	6 Meters (Minimum, tested with ALN-9640 tag)
Tag Support	EPC C1G2,ISO 1800-6C



Unitech electronics co., ltd. / www.ute.com / marketing@tw.ute.com

Global Operation

Unitech America Unitech Asia Pacific Unitech China Unitech Europe Unitech Japan Unitech Taiwan



800 729 0236
www.logiscenter.us



0241 9550 9225
www.logiscenter.de



01 82 88 44 70
www.logiscenter.fr



020 3318 8265
www.logiscenter.co.uk



0720 115814
www.logiscenter.at



02 58 80 583
www.logiscenter.be



911 433 048
www.logiscenter.com



02 4792 1697
www.logiscenter.it



308 800 842
www.logiscenter.pt

About LOGISCENTER

Logiscenter is the leading provider of automatic identification and data capture equipments. Our products include barcode printing and reading devices, mobile computing devices, wireless access points, identification cards, and consumables.

Reasons to work with us

Our customers come first. Our objective is not only selling our products but also holding a long-lasting relationship with our customers, based on the benefits and advantages we create for you and your company.

The best brands. We offer products from the best manufacturers worldwide.

Expert technical support team. Our support staff are experts in the products we sell. But not just the products, they can tell you the best solution for your particular problem or need.

Largest stock. We have a permanent stock of more than 60,000 products.

Same-day shipping. For all orders placed and confirmed before 16:00 on working days.

Best prices. With Logiscenter, you can be sure that you are paying a fair price for your products, we will not overcharge you.

Easy returns. Damaged or defective products can be returned easily, for an exchange or reimbursement.



All Brands Technical Service


Our Brands




Solutions for: Industry • Consumer • Mobility Transportation and Logistics • Retail • Health



Label printers



Barcode readers



Data terminals & PDA



PVC card printers



RFID



Consumables
(labels, ribbons, PVC cards)