GLANCETRON



Glancetron GT15plus

LCD monitor with integrated touch screen

- High-end 38.1 cm (15") LCD monitor for demanding applications
- Integrated touch screen with 5-wire resistive touch technology
- Elegant design and particularly robust construction
- Dual interface: RS232 and USB for optimal integration
- Maximum resolution: 1024 x 768 pixels

Specifications

Display	Screen diagonal / type	38.1 cm (15") / LCD TFT active matrix
	Aspect ratio	4:3
	Resolution (max.)	1024 x 768 Pixel
	Active area (HxW)	304 x 228 mm
	Response time	Tr: 2 ms / Tf: 6 ms
	Colours	16.2 million
	Contrast	500:1
	Brightness	200 cd/m²
	Viewing angle (H/V)	140° / 125°
	Video Input	VGA (analogue)
	Touch technology	Resistive (5-wire)
	Touch interface	Dual interface (RS232/USB)
General	Colour	Dark grey
	Dimensions (WxHxD)	364 x 320.4 x 205.4 mm (incl. stand) 364 x 295 x 61.5 mm (without stand)
	Weight	5,0 kg / 7,9 kg
	Power supply	Integrated power supply (AC input 100 ~ 240 V / DC 12 V)
	Power consumption	Operating: 25 W / Sleep: 4 W / Standby: 2 W
	Mounting options	Stand / VESA (75 x 75 mm)
	Control buttons	Power on/off, Menu, Select, Up, Down
	Audio	1 W speaker / 2-channel
	Certifications	TUV, CE, UL, CUL, FCC, RoHS, IPX1
	Drivers	Windows 7, VISTA, XP, 2000, ME, 98, NT4.0, CE, XP Embedded; Linux; Apple MacOS
	Options	n/a
	Delivery contents	Monitor, stand, connection cables (USB, RS232, VGA, audio), power cord (EU), cable cover, driver CD, QSG
Environment	Operating temperature	0 to +40°C
	Storage temperature	-20 to +60 °C
	Operating humidity	20 to 80 % (non-condensing)
	Storage humidity	10 to 90 % (non-condensing)





Your partner

Errors excepted; subject to change.
Rev. 2.0

GLANCETRON



Glancetron GT17plus

High-performance touch screen with an elegant design

- High-performance touch screen with a large 43.2 cm (17") screen diagonal
- Integrated touch screen with 5-wire resistive touch technology
- Elegant design and particularly robust construction
- Dual touch screen interface: RS232/USB
- Maximum resolution: 1280 x 1024 pixels

Specifications

Display	Screen diagonal / type	43.2 cm (17") / LCD TFT active matrix
	Aspect ratio	5:4
	Resolution (max.)	1280 x 1024 Pixel
	Active area (HxW)	338 x 270 mm
	Response time	Tr: 2 ms / Tf: 6 ms
	Colours	16.7 million
	Contrast	800:1
	Brightness	240 cd/m²
	Viewing angle (H/V)	160° / 160°
	Video input	VGA (analogue)
	Touch technology	Resistive (5-wire)
	Touch interface	Dual interface (RS232/USB)
General	Colour	Dark grey
	Dimensions (WxHxD)	371 x 400 x 225 mm (incl. stand) 371 x 338 x 68.6 mm (without stand)
	Weight	7,3 kg / 9,3 kg
	Power supply	Integrated power supply (AC input 90 ~ 264 V / DC 12 V)
	Power consumption	Operating: 36 W / Sleep: 4 W / Standby: 2 W
	Mounting options	Stand / VESA (100 x 100 mm)
	Control buttons	Power on/off, Menu, Select, Up, Down
	Audio	1 W speaker / 2-channel
	Certifications	TUV, CE, UL, CUL, FCC, RoHS
	Drivers	Windows 7, VISTA, XP, 2000, ME, 98, NT4.0, CE, XP Embedded; Linux; Apple MacOS
	Options	n/a
	Delivery contents	Monitor, stand, connection cables (USB, RS232, VGA, audio), power cord (EU, UK), cable cover, driver CD, QSG
Environment	Operating temperature	0 to +40 °C
	Storage temperature	-20 to +60 °C
	Operating humidity	20 to 80 % (non-condensing)
	Storage humidity	10 to 90 % (non-condensing)





Your partner

Errors excepted; subject to change.
Rev. 2.0

Solutions for Automatic Identification, Barcodes and Mobility

More than 15,000 customers in 15 countries • More than 60,000 products in stock

800 729 0236
www.logiscenter.us

0241 9550 9225
www.logiscenter.de

01 82 88 44 70
www.logiscenter.fr

020 3318 8265
www.logiscenter.co.uk

0720 115814
www.logiscenter.at

02 58 80 583
www.logiscenter.be

911 433 048
www.logiscenter.com

02 4792 1697
www.logiscenter.it

308 800 842
www.logiscenter.pt

About LOGISCENTER

Logiscenter is the leading provider of automatic identification and data capture equipments. Our products include barcode printing and reading devices, mobile computing devices, wireless access points, identification cards, and consumables.

All Brands Technical Service

Reasons to work with us

Our customers come first. Our objective is not only selling our products but also holding a long-lasting relationship with our customers, based on the benefits and advantages we create for you and your company.

The best brands. We offer products from the best manufacturers worldwide.

Expert technical support team. Our support staff are experts in the products we sell. But not just the products, they can tell you the best solution for your particular problem or need.

Largest stock. We have a permament stock of more than 60,000 products.

Same-day shipping. For all orders placed and confirmed before 16:00 on working days.

Best prices. With Logiscenter, you can be sure that you are paying a fair price for your products, we will not overcharge you.

Easy returns. Damaged or defective products can be returned easily, for an exchange or reimbursement.

Our Brands

ZEBRA
Honeywell
DATALOGIC
elo
EPSON
unitech
star
PRINTRONIX
CITIZEN
Getac
TSC
TOSHIBA
MOTOROLA

Solutions for: Industry • Consumer • Mobility Transportation and Logistics • Retail • Health



Label printers



Barcode readers



Data terminals & PDA



PVC card printers



RFID



Consumables
(labels, ribbons, PVC cards)