

Getac

Rugged Mobile Computing Solutions

B300

Fully Rugged Notebook



- 4th Generation Intel® Core™ i7 / i5 vPro™ Processor
- 13.3 " Getac QuadraClear® Sunlight Readable Display up to 1400 Nits
- Up to 30 Hours of Battery Life with Dual Battery System
- USB 3.0 and eSATA



Vehicle Dock



Office Dock



Rugged Mobile Computing Solutions

B300 Fully Rugged Notebook

Getac recommends Windows.



Specifications

Operating System	Windows® 7 Professional	Communication Interface	10/100/1000 base-T Ethernet Intel® Dual Band Wireless-AC 7260, 802.11ac Bluetooth (v4.0 class 1) Optional SiRFstarIV™ GPS
Mobile Computing Platform	Intel® Core™ i7 vPro™ Technology - Intel® Core™ i7-4600M vPro™ Processor 2.9GHz, Max 3.6GHz, with Intel® Turbo Boost Technology - 4MB L3 Intel® Smart Cache - Mobile Intel® QM87 Express chipset Intel® Core™ i5 vPro™ Technology - Intel® Core™ i5-4300M vPro™ Processor 2.6GHz, Max. 3.3GHz with Intel® Turbo Boost Technology - 3MB L3 Intel® Smart Cache - Mobile Intel® QM87 Express chipset	Software	Getac Utility Adobe® Reader®
VGA Controller	Intel® HD Graphics 4600 ⁱ	Security Feature	Intel® vPro™ Technology TPM 1.2 Fingerprint scanner Smart card reader (only with DVD Super Multi Drive) Kensington lock
Display	13.3" TFT LCD XGA (1024 x 768) 700 nits display Optional 1400 nits QuadraClear® sunlight readable display with touchscreen	Power	AC adapter (90W, 100-240VAC, 50 / 60Hz) Li-Ion smart battery (8700mAh) (up to 15 hours of battery life) ⁱⁱ Optional Multimedia Bay 2nd Li-Ion smart battery (8700mAh)
Storage & Memory	4GB DDR3 expandable to 8GB SATA HDD 500GB Optional SATA SSD 128GB / 256GB	Dimension (W x D x H) & Weight	303.5 x 263 x 60 mm, 3.5 kg ⁱⁱⁱ
Keyboard	LED backlit membrane keyboard Optional LED backlit rubber keyboard	Rugged Feature	MIL-STD-810G certified and IP65 certified MIL-STD-461F certified ^{iv} Optional ANSI/ISA 12.12.01 Full magnesium alloy case Shock-protected removable HDD Vibration & drop resistant Optional salt fog compliance Optional night vision
Pointing Device	Touchscreen - Optional pressure sensitive touchscreen Touchpad - Glide touchpad with scroll bar	Environmental Specification	Temperature ^v : - Operating: -29°C to 60°C - Storage: -51°C to 71°C Humidity: - 95% RH , non-condensing
Expansion Slot	PCMCIA Type II x 1 + ExpressCard/54 x 1 SD card reader x 1	Optional Accessories	Carry bag Battery charger Vehicle adapter (90W, 11-16VDC and 22-32VDC) MIL-STD-461F certified AC adapter (90W, 100-240VAC) Multimedia bay 2nd battery (8700mAh) Multimedia bay 2nd HDD Stylus and tether Protection film Main battery (8700mAh) AC adapter (90W, 100-240VAC) Vehicle dock Office dock
Multimedia Bay	DVD super multi drive Optional 2nd battery Optional 2nd storage: HDD 500 GB ; SSD 128GB / 256 GB		
I/O Interface	Serial port (9-pin; D-sub) x 2 External VGA (15-pin; D-sub) x 1 Microphone (Mini-jack) x 1 Audio output (Mini-jack) x 1 DC in Jack x 1 USB 3.0 (9-pin) x 1 USB 3.0 / eSATA Combo x 2 LAN (RJ45) x 1 HDMI x 1 IEEE 1394a x 1 External GPS antenna port (only with optional GPS) x 1 Docking connector (80-pin) x 1 Optional RF antenna pass-through for GPS and WWAN		

Docking Solutions

	Dimension (W x D x H)	Serial Port	External VGA	Microphone	Audio Output	DC in Jack	USB	LAN	RF Antenna Connector
Vehicle Dock	353.8 x 315 x 97.8 mm (13.93" x 12.40" x 3.85")	2	1	1	1	1	4	1	2 (optional)
Office Dock	329 x 125 x 94 mm (13" x 4.9" x 3.7")	2	1	1	1	1	4	1	--

ⁱ Share memory size may vary by different operating system and RAM size.

ⁱⁱ Battery life testing conducted under MobileMark 2007. Battery performance will vary upon software applications, wireless settings, power management settings, LCD brightness, customized modules and environmental conditions. The battery has a limited number of charge cycles and may eventually need to be replaced by a Getac service provider. Battery life and charge cycles vary by use and settings.

ⁱⁱⁱ Weight varies from configurations and optional accessories.

^{iv} MIL-STD-461F 90W AC adapter sold separately.

^v Tested by a national independent third party test lab following MIL-STD-810G.

Getac



Getac Technology Corporation

Mitac house, Nedge Hill, Telford,
Shropshire, TF3 3AH, U.K.
Tel: +44 1952 207 231
sales-getac-UK@getac.com
www.getac.co.uk

Copyright © 2013 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved.
All specifications are subject to change without notice. V03M10Y13UK



www.logiscenter.com
902 050 030



www.logiscenter.it
02 479 216 97



www.logiscenter.de
info@logiscenter.de



www.logiscenter.pt
308 800 842

About LOGISCENTER

Grupo Logiscenter is the leading provider in Europe of automatic identification and data capture equipments. Our products include barcode printing and reading devices, mobile computing devices, wireless access points, identification cards, and consumables.

Reasons to work with us

Our customers come first. Our objective is not only selling our products but also holding a long-lasting relationship with our customers, based on the benefits and advantages we create for you and your company.

The best brands. We offer products from the best manufacturers worldwide.

Expert technical support team. Our support staff are experts in the products we sell. But not just the products, they can tell you the best solution for your particular problem or need.

Largest stock. We have a permanent stock of more than 12,000 products.

Same-day shipping. For all orders placed and confirmed before 16:00 on working days.

Best prices. With Logiscenter, you can be sure that you are paying a fair price for your products we will not overcharge you.

Easy returns. Damaged or defective products can be returned easily, for an exchange or reimbursement.

Solutions for: Industry • Consumer • Mobility Transportation and Logistics • Retail • Health



Label printers



Barcode readers



Data terminals & PDA



PVC card printers



RFID



Consumables
(labels, ribbons, PVC cards)

Our Brands



MOTOROLA



Intermec®

Honeywell®

DATALOGIC™



datamax • o'neil

Metrologic

LXE

EPSON®

elo

star

unitech

PRINTRONIX

symbol®



All Brands
Technical Service