

CITIZEN

Sophisticated and fast, high performance
printing

Style and substance



High speed and performance

Quick and convenient, the 300mm/s, front-exit CT-E651 is perfect for hospitality and retail alike. The front exit for hospitality protects the mechanism from spills and crumbs.

Low space requirement

In retail, the compact footprint fits perfectly beneath all-in-one retail systems or alongside a cash drawer - after all it is the same height.

Completely connected

Add to that, Bluetooth™ and WiFi™ interface options for great connectivity.

CT-E651

POS, Receipt printer (thermal 3 inch / 80mm)


Applications

- Hospitality
- Retail



The compact, cubic design makes the CT-E651 one of the most stylish and sleek printers on the market.

TOMORROW'S PRINTING TODAY



The CT-E651 is designed to meet all interfacing needs. USB 2.0 is standard, with LAN, Serial, WiFi and Bluetooth optional depending on user requirements.

Specifications

Model	CT-E651
Printing Technology	Direct Thermal
Resolution	203 dpi
Print Speed (maximum)	300 mm/sec.
Print Width (maximum)	72 mm
Media Width (min to max)	59 - 80 mm (+/- 0.5 mm)
Roll Size (max), Core Size	83 mm outside diameter
Media Thickness (min to max)	53 to 85 µm
Media Sensor	Paper end
Main Interface	USB 2.0 full speed
Optional interfaces	Bluetooth with Apple™ MFi compatibility, Premium Wireless LAN, Serial (RS-232C compliant), Compact Wireless LAN, Ethernet, Ethernet + USB host
Power supply	100 – 240V, 50-60 Hz, external power supply (supplied) or 24V DC
Reliability	200 Million pulses or 150 Km, 2 million cuts
Control panel	2 buttons, 5 LEDs
Emulations (Languages)	ESC/POS™
Drivers and software	Free-of-charge from website, including support for various platforms
Flash (Non-Volatile Memory)	8MB
Size (W x D x H) and Weight	125 x 170 x 108 mm. 1.26 Kg
Cutter	Guillotine type, full and partial

CT-E651

POS, Receipt printer (thermal 3 inch / 80mm)

Features & Benefits

- Paper exit: Front exit, top loading
- Paper load: Quick and easy media changing - drop-in paper loading
- Printing Speed: Ultra fast print out of receipts - up to 300mm per seconds
- Mobile-POS ready
- Easy notification - built-in buzzer
- ENERGY STAR® compliant
- Small footprint
- Print, Sleep and Standby modes



During its lifetime, the autoretracting cutter will make 2 million cuts and the machine will print 20 million lines.

Model	CT-E651
EMC and safety standards	CE, TUV, UL, C-UL, FCC, VCCI

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0

POS, Receipt printer (thermal 3 inch / 80mm)