

Getac

Rugged Mobile Computing Solutions

T800

Fully Rugged Tablet




- 8.1" HD LumiBond® display for better viewing experience
- Getac proprietary SnapBack add-on featuring Smart card and contactless RFID reader Combo or 2nd expanded battery
- Choice of 1D/2D imager barcode reader, RS232, Micro SD or Ethernet
- LifeSupport™ battery swappable technology for uninterrupted battery life
- MIL-STD-810G and IP65 certified



Office Dock



SnapBack Add-on



Rugged Mobile Computing Solutions



Specification

Operating System	Windows® 8 Professional Windows® 7 Professional	Communication Interface	Optional 10/100/1000 base-T Ethernet (occupies expansion slot) Integrated 802.11ac WLAN; IEEE 802.11a/b/g/n compatible Bluetooth (v4.0 class 1) Optional SiRFstarIV™ GPS Optional Gobi™ mobile broadband
Mobile Computing Platform	Intel® Pentium® Processor N3530 2.16 GHz (2M Cache, up to 2.58 GHz)	Software	Getac Utility Getac Camera Getac V-GPS Barcode Utility Adobe Reader
VGA Controller	Intel® HD Graphics	Security Features	Optional SnapBack add-on: Smart card reader ⁱⁱⁱ with 13.56MHz contactless RFID reader ^{iv}
Display	8.1" TFT LCD HD (1280 x 800) 600 nits LumiBond® display with Getac QuadraClear® sunlight readable technology	Power	AC adapter (65W, 100-240VAC, 50 / 60Hz) Li-Ion battery (7.4V, 4200) (up to 8 hours of battery life) ^v LifeSupport™ battery swappable technology
Storage & Memory	4GB DDR3L SSD 64GB / 128GB	Dimension (W x D x H) & Weight	227 x 151 x 24 mm 0.88kg ^{vi}
Keyboard	6 tablet buttons (Power, Home, Programmable, Camera Capture/ Barcode Reader Trigger, Volume Up, Volume Down)	Rugged Features	MIL-STD-810G certified and IP65 certified 6 feet drop resistant Optional ANSI/ISA 12.12.01 Vibration & drop resistant e Mark certified for vehicle usage
Pointing Device	Touchscreen - Capacitive multi-touch screen - Optional dual mode touchscreen (multi-touch and digitizer)	Environmental Specifications	Temperature ^{vii} : - Operating: -21°C to 50°C - Storage: -40°C to 71°C Humidity: - 95% RH , non-condensing
Expansion Slots	Choice of 1D/2D imager barcode reader, RS232, Micro SD or Ethernet ⁱ Optional SnapBack add-on: Smart card and contactless RFID reader combo ⁱⁱ Optional SnapBack add-on: 2nd expanded battery ⁱⁱ	Accessories	Carry bag Battery charger Battery (7.4V, 4200mAh) 2nd expanded battery (14.4V, 2100 mAh) AC adapter (65W, 100-240VAC) Vehicle adapter (90W, 11-16V DC and 22-32V DC) Capacitive stylus & tether Digitizer Shoulder strap (2-point) Hand-strap Wrist-strap Protection film Vehicle dock Office dock
I/O Interface	HD Webcam x 1 5MP rear camera with auto focus and LED x 1 USB (host 3.0) x 1 Headphone out/Mic-in Combo x 1 DC in Jack x 1 Micro HDMI x 1 Docking connector (24-pin) x 1 Optional SIM Card Slot x 1 Optional RF antenna pass-through for GPS, WWAN and WLAN		

Docking solution

	External VGA	Microphone	Audio Output	DC in Jack	USB	LAN	HDMI	RF antenna connector (WWAN, WLAN, GPS)
Vehicle Dock	--	--	--	1	2	1	--	3
Office Dock	1	1	1	1	4	1	1	--

i Barcode reader, Serial, Ethernet, and MicroSD port are mutually exclusive options.

ii All SnapBack add-ons are mutually exclusive options.

iii 13.56MHz Contactless RFID and Smart Card reader (ISO 15693 and 14443 A/B compliant).

iv Smartcard and Contactless RFID reader are mutually inclusive options.

v Battery life testing conducted under MobileMark 2007. Battery performance will vary upon software applications, wireless settings, power management settings, LCD brightness, customized modules and environmental conditions.

The battery has a limited number of charge cycles and may eventually need to be replaced by a Getac service provider. Battery life and charge cycles vary by use and settings.

vi Weight varies from configurations and optional accessories.

vii Tested by a national independent third party test lab following MIL-STD-810G.

Getac



Getac Technology Corporation

Mitac house, Nedge Hill, Telford,
Shropshire, TF3 3AH, U.K.
Tel: +44 1952 207 231
sales-getac-UK@getac.com
www.getac.co.uk



www.logiscenter.com
902 050 030



www.logiscenter.it
02 479 216 97



www.logiscenter.de
info@logiscenter.de



www.logiscenter.pt
308 800 842

About LOGISCENTER

Grupo Logiscenter is the leading provider in Europe of automatic identification and data capture equipments. Our products include barcode printing and reading devices, mobile computing devices, wireless access points, identification cards, and consumables.

Reasons to work with us

Our customers come first. Our objective is not only selling our products but also holding a long-lasting relationship with our customers, based on the benefits and advantages we create for you and your company.

The best brands. We offer products from the best manufacturers worldwide.

Expert technical support team. Our support staff are experts in the products we sell. But not just the products, they can tell you the best solution for your particular problem or need.

Largest stock. We have a permanent stock of more than 12,000 products.

Same-day shipping. For all orders placed and confirmed before 16:00 on working days.

Best prices. With Logiscenter, you can be sure that you are paying a fair price for your products we will not overcharge you.

Easy returns. Damaged or defective products can be returned easily, for an exchange or reimbursement.

Solutions for: Industry • Consumer • Mobility Transportation and Logistics • Retail • Health



Label printers



Barcode readers



Data terminals & PDA



PVC card printers



RFID



Consumables
(labels, ribbons, PVC cards)

Our Brands



MOTOROLA



Intermec®

Honeywell®

DATALOGIC™



datamax • o'neil

Metrologic

LXE

EPSON®

elo

star

unitech

PRINTRONIX

symbol®



All Brands
Technical Service