

star TSP-L10 Series

The World's "Best" Lottery Printer / Secure Transaction Printer with 100 Ticket Stacker



20cm Diameter Paper Roll



SECURE

- ✧ Internal Scanner for real-time ticket verification or complete / partial journal
- ✧ Reverse mech "VOID" print (factory option)
- ✧ Power / paper feed switch disable command

RELIABLE

- ✧ Internal ticket verification
- ✧ Printer 60 million lines MCBF
- ✧ Autocutter 2 million cuts
- ✧ Print head dot check
- ✧ Cutter damage prevention
- ✧ Easy cutter access

QUALITY

- ✧ Greyscale - 16 shades
- ✧ 203 x 203 dpi
- ✧ Print Density Monochrome 6 levels
- ✧ Greyscale 8 levels
- ✧ Star manufacturing quality

TRANSACTION PRINTING

- ✧ Compact design with Easyload 200 mm diameter paper roll
- ✧ Print speed up to 300 mm / sec.
- ✧ Dual Interface USB & Ethernet
- ✧ USB Host Port
- ✧ Ticket stacker for up to 100 printed receipts/tickets



www.Star-EMEA.com

From the US to sunny South Africa, Star Micronics has been proudly supplying thousands of printing solutions for the world's largest lottery systems for more than 2 decades. This experience has led to the production of the world's best lottery printer to date.

TSP-L10 Series Printer Models

TSP-L10 UE-24 GR 24V DC Grey
USB/Ethernet without internal Ticket Scanner

TSP-L11 UE-24 GR 24V DC Grey
USB/Ethernet with internal Ticket Scanner

NB: Factory option "VOID" Mechanism rewind

STAR Graphic Mode emulation controlled by Custom Star API (Application Programmer Interface). Star Mode version to follow (Date TBC)

OEM Modular Design Flexibility

The TSP-L10 has been built specifically for OEMs / system integrators who require a level of hardware flexibility for the addition of other devices such as RFID readers using the TSP-L10's USB Host port

Full Image Internal Ticket Scanner with host terminal barcode decoding of all types of barcode.
Colour Monochrome **Resolution** 200dpi
Greyscale 256 grades **Scan width** 84mm 672 dot
Control command see TSP-L10 command specs


Star Reliability

Head Dot Check detects & reports missing dot to host if set-up (see TSP-L10 Command Specs)


Cutter Damage Prevention The printer's lid cannot be opened during cutter operation

Easy Cutter Access with paper feed knob

Status Back Command Set for no received data; recoverable / non-recoverable; sensor condition etc.



Ticket Stacker for 50 - 300mm long output.
50 - 200mm long - holds up to 100 tickets
200 - 300mm long - holds 30 tickets plus



Internal Ticket Scanner
with reverse mechanism
for immediate
"VOID" function



TSP-L10 Series Secure Transaction Printers

Printer Method	Direct Thermal Line Printing
Print Speed Throughput (non scanner model)	up to 300mm/second 100 tickets / 120 seconds (150mm ticket)
Print Quality Greyscale	203 x 203 dpi (640 dots per line) 16 shades of grey
Print Density Missing Dot Detection	Monochrome - 6 levels Greyscale - 8 levels Supported with Host status command response
Emulation	Star Graphic Mode (controlled by Star API) Star Mode model to follow (end 2012 TBC)
Connectivity Interface USB Host Port Peripheral Drive Circuit	Dual Port - 2.0 High speed USB & Ethernet Standard 2 Output 1 Input (RJ-11)
Scanner CIS type	Factory option set: scanner unit, hold roller unit, scanner controllable PCB
Paper Width (Print width)	82.5mm (max.80mm centre 1.25mm margins)
Thickness	0.0075 - 0.09mm
Roll Diameter	200mm
Paper Loading	"Drop-In & Print" Easy Load
Sensors	Cover Open; Black mark; Paper End; Head Thermistor; PCB Thermistor
Near End Sensor	4 positions
Driver Utility	Linux Support OS; SDK supported; Linux Star IO & QT library
Top Margin	11mm default / 3mm selectable
Power Supply	24 V Star PS60A-24 option
Dimensions (w x d x h) mm	165 x 343 x 276mm 4.4Kg with scanner incorporating 200mm diameter paper roll
Reliability	Printer MCBF 60 million lines Head 100km Autocutter (guillotine full cut) 2 million lines

TSPL10UK 2/12





800 729 0236
www.logiscenter.us



0241 9550 9225
www.logiscenter.de



01 82 88 44 70
www.logiscenter.fr



020 3318 8265
www.logiscenter.co.uk



0720 115814
www.logiscenter.at



02 58 80 583
www.logiscenter.be



911 433 048
www.logiscenter.com



02 4792 1697
www.logiscenter.it



308 800 842
www.logiscenter.pt

About LOGISCENTER

Logiscenter is the leading provider of automatic identification and data capture equipments. Our products include barcode printing and reading devices, mobile computing devices, wireless access points, identification cards, and consumables.

Reasons to work with us

Our customers come first. Our objective is not only selling our products but also holding a long-lasting relationship with our customers, based on the benefits and advantages we create for you and your company.

The best brands. We offer products from the best manufacturers worldwide.

Expert technical support team. Our support staff are experts in the products we sell. But not just the products, they can tell you the best solution for your particular problem or need.

Largest stock. We have a permanent stock of more than 60,000 products.

Same-day shipping. For all orders placed and confirmed before 16:00 on working days.

Best prices. With Logiscenter, you can be sure that you are paying a fair price for your products, we will not overcharge you.

Easy returns. Damaged or defective products can be returned easily, for an exchange or reimbursement.



All Brands Technical Service


Our Brands




Solutions for: Industry • Consumer • Mobility Transportation and Logistics • Retail • Health



Label printers



Barcode readers



Data terminals & PDA



PVC card printers



RFID



Consumables
(labels, ribbons, PVC cards)